





CONTENTS

JUNO from A - Z

Brand	Page	04 - 05	Extractor hoods		
			Facts worth knowing	Page	42 - 45
Design	Page	06 - 07	Flat extractor hoods	Page	46 - 47
			Wall extractor hoods	Page	48 - 49
Product variety	Page	08 - 09	Island extractor hoods	Page	49
			Overview	Page	50 - 51
Cookers & ovens			Dishwashers		
Facts worth knowing	Page	10 - 17	Facts worth knowing	Page	52 - 57
Cookers	Page	18 - 19	Dishwashers	Page	58 - 60
Ovens	Page	20 - 23	Overview	Page	61
Overview	Page	24 - 25			
Compact appliances			Fridges		
Facts worth knowing	Page	26 - 29	Facts worth knowing	Page	62 - 65
Compact appliances	Page	30 - 31	Fridges	Page	66 - 72
			Overview	Page	73 - 75
Hobs			Accessories	Page	76 - 77
Facts worth knowing	Page	32 - 35			
Hobs	Page	36 - 37	Energy efficiency classes	Page	78
Induction hobs	Page	38 - 39			
Overview	Page	40 - 41	Contact & customer service	Page	79

TIMELINE & INNOVATIONS

Competence in cooking with fossil energy, oil, gas and electricity.

1826	Foundation of the Burger steel mill	1973	1st hot air cooker, domestic cookers, min. premiere in Germany
1845	1st so-called „cooking oven“, world innovation	1977	Steam cooker, unpressurised, catering, min. premiere in Germany
1889	1st coal-burning cooker, premiere in Germany	1987	Steam cooker, unpressurised, domestic cookers, min. premiere in Germany
1899	Registration of the brand name JUNO	1990	JUNO division acquired by Electrolux
1927	1st gas cooker, premiere in Germany	2015	Marketed exclusively by Schüller Möbelwerk KG
1931	1st electric cooker, premiere in Germany		
1957	1st hot air cooker, catering, min. premiere in Germany		

1



2



3



4



5



- 1 American continuously burning stove around 1899
- 2 Table-type cooker
- 3 Cooker
- 4 JUNO advertising poster dated 1928
- 5 Poster advertising the JUNO Convectomat

THE BRAND

What began in 1899 with an „American slow-burning stove“ today still stands for a unique story of success that is full of innovations.

JUNO looks back on over 100 years of cooking history

Named after the Roman goddess of matrimony and birth, the JUNO brand of so-called "American continuously burning stoves" first appeared in German homes over a hundred years ago. They heralded an era packed with ideas and innovations. Today, JUNO stands for maximum competence in cooking. Trends that have revolutionized the kitchen – from the hotbed of ideas in Herborn.

From puffing coal-fired stoves to modern high-tech cookers

Back in 1899, the American continuously burning stove was considered an innovation in the market and a pinnacle of technical achievement because it was easy to control, with outstanding heat output, and above all – because it continued to burn for 40 hours – an endless time back in those days. In addition to these stoves, cooking stoves from JUNO were widely known and to be found in millions of homes. Fuelled with wood and coal and often richly ornamented, these magnificent stoves were the centre-piece of the home. Family life focused mainly on the kitchen where JUNO cookers were used for cooking, roasting, baking and heating. Laundry was also often hung up to dry over them. Housework became very much easier when JUNO introduced the first gas cooker in 1927. Carrying coal and emptying the ashcan were a thing of the past, at least in those kitchens which were connected to the gas supply and able to afford it. The next premiere followed in 1932 when Germany's first electric cooker – also made by JUNO – went online and heralded a new era in European kitchens.

Technology transfer for outstanding achievements

A further milestone in the brand's development was set in 1957 when the first cookers for canteen kitchens came

off the production line in Herborn. Developed to meet top requirements in professional areas of use, the technology was gradually also incorporated into household cookers. In the end, it is the customer who benefits from innovative technology which has passed the acid test.


One of the most spectacular innovations – the JUNO Convectomat – appeared on the market in the 1970s. Its oven was the first to work with an intense distribution of hot air – the essential prerequisite for perfect preparation of large roasts or simultaneously roasting or baking foods on up to three baking sheets.

Organic steam cooking – healthy and tasty

"Organic steam cooking" was another revolution in cooking technology presented by JUNO. Cooking without pressure using steam is the gentlest and also the most economical way to prepare food. The flavours and the vitamins and minerals contained in the foods are extensively preserved. Vegetables, for instance – often merely treated as a side dish and obligatory "health food" – remains crisp and crunchy, and retains its own characteristic taste. The handling could not be simpler. Fill the water tank in the cooker with water and set the cooking time. The cooker then takes over: its Thermotronic technology ensures that the temperature in the cooking chamber remains constant at the set level. A built-in timer monitors the cooking time.

JUNO – a modern brand

When the division was taken over by the Electrolux Group in 1990, JUNO found a competent partner in its sector. All the competence of international product development is concentrated here. In 2015 the famous JUNO brand experienced a relaunch through its exclusive marketing by Schüller Möbelwerk KG.



- | | | |
|--|--|--|
| <p>1 Stainless steel cover
Stainless steel with antifinger coating lends a bright face to the oven.</p> | <p>3 Operating elements
Attached or retractable control knobs merge with the stainless steel cover into one unit.</p> | <p>5 Handle
Narrow and slim in stainless steel and also with antifinger coating.</p> |
| <p>2 Glass cover
The cover of the SELECTION range is decorated in elegant black glass.</p> | <p>4 Operation elements SELECTION
The SELECTION range – retractable control knobs or completely reduced with Touch Control.</p> | <p>6 Frame
Lends the worthy frame to the JUNO ovens – of course, with antifinger stainless steel coating.</p> |
| | | <p>7 All-glass door
The all-glass door impresses with simple elegance and a harmonious overall picture.</p> |

DESIGN

Attractive packaging with outstanding content.

Modern kitchen – attractive appliances

Many factors play a part in your new kitchen: ergonomic design, easy care, optimized work flows, price and most importantly – the choice of appliances. This results in innumerable practical details, technical innovations and consequently a large number of decisions to be made.

Technical sophistication aside, the design of the appliances is no less important. It must radiate modernity and appear timeless and be easily integrated into the planned kitchen.

Design JUNO & design JUNO SELECTION

To make your decision a little easier, both ranges include technical features and energy savings at the highest level. They differ with regard to design features, supplementary technical functions and therefore as regards their price. Clear and detailed information on the various features have been compiled on the following product pages.

THE RANGES

Two JUNO ranges – for every taste.

Design JUNO

Timeless forms and optimum value for money!

The design language: an oven with a narrow stainless steel frame in combination with a stainless steel panel.


The technology: everything that is needed! Energy-aware and convenient!

Design JUNO SELECTION

Elegant and technical – for the highest demands.

The design language: oven with elegant glass panel. Chic control panel for the extractor hoods. With a high proportion of glass and black, we follow the current trend in the field of appliances.

The technology: everything you ever dreamed of, technically perfect!



- 1 Vented air & circulating air**
Effective and quiet – that is what you expect of a perfect extractor hood!
- 2 Cleaning**
No need to fear piles of plates, pots and pans: dishwashers from JUNO will help you clear up!
- 3 Cooking**
Hob²Hood, roaster zone, power function, automatic bring-to-the-boil function, triple-cooking zone: dream functions!
- 4 Baking & steaming**
Elegant appliances equipped with different features for a completely new way of cooking!
- 5 Cooling & freezing**
The supermarket in your own kitchen: with the latest technology to keep everything fresh and crisp!

PRODUCT VARIETY

Preparation, cooking and clearing up – everything from a single source.

The kitchen as the centre of life

The importance of kitchens has changed radically in the course of time. From the small chamber in which housewives stood and did the cooking all alone, the kitchen has evolved to become the centre of life. In new buildings, the kitchen has now moved further to the front of the layout and become more spacious than in the 1980s and 1990s. It is now a centre of communication and a meeting place for family and friends.

Cooking has also acquired a different significance. It has become an event and many amateur cooks have developed their cuisine to almost professional levels. TV programmes on cooking and baking can be watched every day of the week and star cooks enjoy cult status among the general public. A healthy diet is increasingly becoming a focal topic.

Better cooking with JUNO

With JUNO you can now equip your kitchen exactly in line with your personal preferences and needs! How often you

cook and for how many people is naturally just as important as the complexity of your menus.

JUNO offers suitable appliances for all requirements. From the functional price-conscious version JUNO to perfect design and technology from JUNO SELECTION. The product range encompasses 74 appliances with everything your kitchen needs, from preparing and cooking food to clearing up afterwards.

A matter of the heart

When you take a closer look at the JUNO appliances, you will see that they feature new technical developments that are certain to excite you. Such as NoFrost in the cooling units, induction technology for the hob, the flexibility of the new dishwashers, the combi-steam cookers or the Hob²Hood. Choose appliances with the functions you always wanted to have and that suit your style of life – JUNO supplies all the appliances from a single source.



- | | | |
|--|--|--|
| <p>1 LC display
Everything at a glance.</p> | <p>3 Antifinger stainless steel coating
No unsightly fingerprints.</p> | <p>5 CoolDoor
Hot inside, cool outside.</p> |
| <p>2 Touch Control
Innovative, chic design.</p> | <p>4 Full-glass door for the JUNO SELECTION
The smooth exterior and interior door is easy to clean.</p> | <p>6 Miracle of space
72 litre oven capacity, 5 levels and XL window into the interior.</p> |

JUNO COOKERS & OVENS

Cookers and ovens from JUNO – fulfil a whole variety of wishes when cooking.

The oven as the heart of the kitchen

Kitchens as such evoke innumerable childhood memories, but cookers and ovens are undoubtedly associated with many positive feelings. The tension that eases when the cake has finally risen or the chips that come out of the oven at midday, a shining gold colour, not to mention the delicious smell.

The dream of cooking

If our mothers had known of the functions available today, they would surely have started dreaming! Particularly where the functions are concerned, the JUNO appliances include several that make everyday life very much easier. Pyrolysis is the magic word when it comes to cleaning the oven and the Antifinger stainless steel coating does exactly what its name implies: it makes for a perfect appearance!

When it comes to preparing foods, JUNO offers functions meeting the highest standards today. The bowl of water at the bottom of the oven has been replaced by the convenience of steam assistance. Producing a juicy piece of meat with a crisp crust is now child's play. Hot air with circular heater creates completely new possibilities when planning a menu, for the heat is uniformly distributed throughout the oven so that different dishes can cook simultaneously on up to three levels.

An oven for every cook

The functions chosen for your new cooker or oven should depend on your demands when cooking. Are you a real gourmet and constantly surrounded by guests? Or the uncomplicated type of cook who needs to be successful without wasting time? Whatever your wishes may be – you can be sure of cooking better with appliances from JUNO!

JUNO COOKERS & OVENS

Cookers and ovens from JUNO – fulfil a whole variety of wishes when cooking.

Design: JUNO



Stainless steel panel with top-mounted control knobs



Quick and simple operation with top-mounted control knobs.

Stainless steel panel with retractable control knobs



Quick and simple operation as well as cleaning with retractable control knobs.

Design: JUNO SELECTION



Glass panel with retractable control knobs



Quick and simple operation as well as cleaning with retractable control knobs which, in combination with the glass panel, additionally provide a special design solution.

Glass panel with Touch Control



Touch Control permits innovative operation, as well as quick and extremely easy cleaning. In combination with the one-piece glass panel it additionally creates a special design solution.



Antifinger stainless steel coating

The antifinger stainless steel coating gives your kitchen an extra shine. Fingerprints on the stainless steel are a thing of the past now.



Standard

Energy efficiency class A and A+

All JUNO cookers and ovens comply with Energy efficiency class A and A+.

A

Standard

Electronic clock

In addition to showing the time of day, the electronic clock also includes such useful functions as a kitchen timer, setting the operating time and switching the oven on/off automatically.



LC display

The LC display shows all the main functions at a glance, such as the activated type of heating, selected automatic programme, heating status, momentary oven temperature, residual heat and lots more. When switched off, it simultaneously acts as electronic clock and can also be used as kitchen timer.



Door with Soft Closing

The door closes automatically from a certain angle, and completes the closing process gently and quietly over the last centimetres.



Full-glass interior door

The oven door with several all-glass panels has a smooth interior surface that is not only easy to clean, but is also designed so that it can be removed without tools and cleaned without effort when extensively soiled.



Cooling fan with automatic overrun

The cooling fan ensures that the hot air is cooled before it leaves the oven and automatically continues to run for approx. 5 to 7 minutes after switching off the oven. In this way, the oven interior and hence also the front cools more quickly.

Standard


CoolDoor

The oven door with several glass panels and reflective coating ensures that the heat stays in the oven and the window remains relatively cool on the outside. Up to 15°C above room temperature on selected appliances.



Hot air

"Hot air" as a type of heating uses a circular heater and ensures that the heat is uniformly distributed in the cooking chamber. As a result, cooking can proceed on up to 3 levels at once, thus saving both energy and money.



Hot air plus

Unique combination of classical hot air with addition of moisture. "Hot air plus" not only improves the taste, but also ensures an appetizingly browned crust.



Moist recirculating air

Unique combination of fan and top/bottom heat with gentle oven cavity venting. Particularly for baking and cooking dry bakery goods and soufflés.



Moist top/bottom heat

For baking and roasting on one level with gentle oven cavity venting.



JUNO COOKERS & OVENS

Cookers and ovens from JUNO – fulfil a whole variety of wishes when cooking.

Bread baking setting

This makes bakery products crispy on the outside and deliciously fluffy inside



Regenerating

For gently heating up food with steam.



Oven with steam assistance

Crisp and crunchy outside – juicy and tender inside. No problem when using a JUNO oven with steam assistance. The addition of steam ensures that more moisture is retained by the food being cooked, while the hot air gives it the desired crispiness.



Pyrolyse

Pyrolytic self-cleaning is the most convenient way to clean the oven. At high temperature, residues disintegrate to ashes which can easily be removed by wiping the cooking chamber.



Smooth oven interior

Smooth oven walls remain when the telescoping pull-outs (and side racks) have been removed. This special design feature makes cleaning exceedingly easy.



Standard



Retrofitable telescoping pull-outs

The optional telescoping pull-outs from JUNO allow food to be placed in the oven and removed more conveniently. Full-extension pull-outs offer additional safety, as baking sheets and racks can be pulled out of the oven chamber completely.

Oven interior standard

The cooking chamber with a capacity of at least 57 litres is large enough to prepare different foods on 4 levels.

Standard

XL oven interior

Ovens of the SELECTION series have an extra-large 72 litre oven chamber providing 25 % more area on the baking sheet. Even oversize pieces can be cooked here without difficulty. A further advantage is that simultaneously cooking large quantities (e.g. cookies) saves energy as well as precious time.



HEATING TYPES


Overview of pictograms

Steam (100 % steam)		Grill stage 1		Pizza stage	
Moist cooking low (25 % steam, 75 % hot air)		Grill stage 2		Bread baking setting	
Moist cooking high (50 % steam, 50 % hot air)		recirculated Air		Organic cooking	
Top / bottom heat		Moist recirculating air		Eco roasting	
Moist top / bottom heat		Hot air		Warming	
Separate bottom heat		Moist hot air		Defrost	
Recirculated air grill		Hot air plus		Regenerating	
Hot air grill		Frozen foods			

FUNCTIONS | FEATURES

Overview of pictograms

Touch Control		LC display		Door with Soft Closing	
Antifinger stainless steel coating		CoolDoor, max. 40 °C above room temperature		Moisture allowance	
Energy efficiency class A		CoolDoor, max. 30 °C above room temperature		XL oven interior	
Energy efficiency class A+		CoolDoor, max. 20 °C above room temperature		Pyrolyse	
Electronic clock		CoolDoor, max. 15 °C above room temperature		Core temperature sensor	



- 1 LC display**
Everything at a glance.
- 2 Touch Control**
Innovative, chic design.

- 3 Water tank**
Filler for steamer with external steam generator.
- 4 Core temperature sensor**
Ensures a perfect cooking result.

JUNO MULTI-STEAM COOKER

Combination steam oven from JUNO – for more taste and gentle preparation.

A technology that will delight you

Discover all the attractive aspects of cooking in one appliance – and the fun associated with unusual ideas and recipes. The combination steam cooker combines steam and heat in perfect harmony. The combination of these two forces creates many new possibilities: roasts and baked goods, bake soufflés all come out with a crisp exterior and extremely juicy inside. This all-rounder also features many other functions that you won't want to miss.

Simple and healthy: cooking with steam

People have used steam to cook food for thousands of years. A tradition worth reviving with state-of-the-art technology: no other methods cooks the various ingredients so gently and preserves their original nature so reliably. Enjoy vegetables, for instance, with up to 50 % more vitamins and up to 80 % more minerals, not to mention 100 % taste!

Steam (100 % steam)

Vegetables, side dishes such as rice and dumplings, fish and fruit are gently cooked without pressure. Delicate foods also retain their consistency, colour and above all their taste. Vegetables cooked with steam contain up to 50 % more vitamins than those cooked conventionally and the minerals are preserved almost entirely.

Moist cooking low (25 % steam, 75 % hot air)

The ideal function for everything requiring a crispy brown exterior while remaining juicy and tender inside: meat and roasts, gratins, bread and rolls cannot dry out – and you do not have to keep watch over them. The secret lies in the perfect combination of steam and hot air – always in exactly the right proportions.

Moist cooking high (50 % steam, 50 % hot air)

The function for fine and particularly sensitive food. For tender soufflés, juicy bakes, exquisite terrines or puddings – and more variety. The foods retain even more moisture and bakes in particular come out light and fluffy. That way, everyone can cook like a starred chef.



Core temperature sensor

You want to know when your food has reached the correct core temperature? With the core temperature sensor, you can see directly into the interior. Regardless of whether you want the meat to be "rare", "medium" or "well done", the sensor will tell you when the cooking process is complete. Control could not be easier.





JUNO JH030A9

Built-in cooker

3 heating types

- Top / bottom heat
- Moist top / bottom heat
- Separate bottom heat

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	0.79 kWh
• Conventional	–
• Recirculated air / Hot air	–
Oven capacity	58 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JH070A9

Built-in cooker

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Grill stage 2
- Recirculated air
- Moist recirculating air

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	60 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JH070B9

Built-in cooker

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Grill stage 2
- Recirculated air
- Moist recirculating air

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	60 litres
Temperature range	50 - 250 °C
Energy efficiency class ¹⁾	A



JUNO JH071B9

Built-in cooker

7 heating types

- Top / bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Grill stage 2
- Recirculated air
- Moist recirculating air

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	60 litres
Temperature range	50 - 275 °C
Energy efficiency class ¹⁾	A

NEW



JUNO SELECTION JH084C0

Built-in cooker

8 heating types

- Top / bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Hot air plus
- Pizza stage

Features

- Oven with hook-in wire rack
- Smooth XL oven interior
- Moisture allowance
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Oven door with Soft Closing
- Retractable control knobs
- Antifinger stainless steel coating
- ON / OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 universal baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.81 kWh
Oven capacity	72 litres
Temperature range	50 - 275 °C
Energy efficiency class ¹⁾	A



JUNO JB030A9

Built-in oven

3 heating types

- Top/bottom heat
- Moist top/bottom heat
- Separate bottom heat

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON/OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	0.79 kWh
• Conventional	–
• Recirculated air / Hot air	–
Oven capacity	58 litres
Temperature range	50 - 250°C
Energy efficiency class ¹⁾	A



JUNO JB070A9

Built-in oven

7 heating types

- Top/bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Grill stage 2
- Recirculated air
- Moist recirculating air

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Top-mounted control knobs
- Antifinger stainless steel coating
- ON/OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	60 litres
Temperature range	50 - 250°C
Energy efficiency class ¹⁾	A



JUNO JB070B9

Built-in oven

7 heating types

- Top/bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Grill stage 2
- Recirculated air
- Moist recirculating air

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON/OFF indicator
- Oven temperature indicator
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	60 litres
Temperature range	50 - 250°C
Energy efficiency class ¹⁾	A



JUNO JB071B9

Built-in oven

7 heating types

- Top/bottom heat
- Separate bottom heat
- Recirculated air grill
- Grill stage 1
- Grill stage 2
- Recirculated air
- Moist recirculating air

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Retractable control knobs
- Antifinger stainless steel coating
- ON/OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	60 Liter
Temperature range	50 - 250°C
Energy efficiency class ¹⁾	A



JUNO JB096B9

Built-in oven with pyrolysis

9 heating types

- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Grill stage 2
- Hot air
- Moist hot air
- Pizza stage
- Defrost

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofittable telescoping pull-outs
- Pyrolytic self-cleaning
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 15°C above room temperature, max. 35°C during pyrolyse
- Retractable control knobs
- Antifinger stainless steel coating
- Electronic clock
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Child lock
- Safety switch off
- Door lock with pyrolysis operation

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.79 kWh
• Recirculated air / Hot air	0.78 kWh
Oven capacity	56 litres
Temperature range	50 - 250°C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JB084C0

Built-in oven

8 heating types

- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Hot air plus
- Pizza stage

Features

- Oven with hook-in wire rack
- Smooth XL oven interior
- Moisture allowance
- Retrofittable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- Oven door with Soft Closing
- Retractable control knobs
- Antifinger stainless steel coating
- ON/OFF indicator
- Oven temperature indicator
- Electronic clock
- Safety switch off

Accessories

- 1 univeral baking sheet, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.81 kWh
Oven capacity	72 litres
Temperature range	50 - 275°C
Energy efficiency class ¹⁾	A



JUNO SELECTION JB121D0

Built-in oven

12 heating types

- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Frozen foods
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost

Features

- Oven with hook-in wire rack
- Smooth XL oven interior
- Telescoping pull-outs, retrofitable
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 30 °C above room temperature
- Oven door with Soft Closing
- Touch Control operation
- Antifinger stainless steel coating
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.69 kWh
Oven capacity	72 litres
Temperature range	30 - 300 °C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JB126D0

Built-in oven with pyrolyse

12 heating types

- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Frozen foods
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost

Features

- Oven with hook-in wire rack
- Smooth XL oven interior
- Telescoping pull-outs, retrofitable
- Pyrolytic self-cleaning, 3-stage
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 20 °C above room temperature, max. 40 °C during pyrolyse
- Oven door with Soft Closing
- Touch Control operation
- Antifinger stainless steel coating
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off
- Door lock with Pyrolysis operation

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.69 kWh
Oven capacity	72 litres
Temperature range	30 - 300 °C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JB126S0

Built-in oven with pyrolyse

12 heating types

- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 2
- Hot air
- Moist hot air
- Frozen foods
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost

Features

- Oven with hook-in wire rack
- Smooth XL oven interior
- Telescoping pull-outs, retrofitable
- Pyrolytic self-cleaning, 3-stage
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 20 °C above room temperature, max. 40 °C during pyrolyse
- Oven door with Soft Closing
- Touch Control operation
- Metal handle, black
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off
- Door lock with Pyrolysis operation

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.93 kWh
• Recirculated air / Hot air	0.69 kWh
Oven capacity	72 litres
Temperature range	30 - 300 °C
Energy efficiency class ¹⁾	A+



JUNO SELECTION JBD167D0

Combination steam oven

16 heating types

- Steam 50 °C - 96 °C
- Moist cooking low 50 °C - 230 °C
- Moist cooking high 50 °C - 130 °C
- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Hot air
- Moist hot air
- Frozen foods
- Pizza stage
- Bread baking setting
- Organic cooking
- Warming
- Defrost
- Regenerating

Features

- Oven with hook-in wire rack
- Smooth XL oven interior
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 30 °C above room temperature
- Oven door with Soft Closing
- Core temperature sensor
- Touch Control operation
- Antifinger stainless steel coating
- Electronic clock / LC display
- 25 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock
- Safety switch off

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	1.09 kWh
• Recirculated air / Hot air	0.68 kWh
Oven capacity	70 litres
Temperature range	30 - 230 °C
Energy efficiency class ¹⁾	A+

JUNO COOKERS & OVENS

All models at a glance

	JUNO JH030A9	JUNO JH070A9	JUNO JH070B9	JUNO JH071B9	JUNO SELECTION JH084C0	JUNO JB030A9	JUNO JB070A9	JUNO JB070B9	JUNO JB071B9
Heating types									
Top / bottom heat	•	•	•	•	•	•	•	•	•
Moist top / bottom heat	•				•				
Separate bottom heat	•	•	•	•	•	•	•	•	•
Hot air grill		•	•	•		•	•	•	
Recirculated air grill					•				
Grill stage 1 / grill stage 2	• / •	• / •	• / •	- / •		• / •	• / •	• / •	
Recirculated air / moist recirculating air	• / •	• / •	• / •			• / •	• / •	• / •	
Hot air / moist hot air				• / •					
Hot air plus				•					
Frozen foods									
Pizza stage				•					
Bread baking setting									
Organic cooking / eco roasting									
Warming									
Defrost									
Steam, moist cooking low, moist cooking high									
Regenerating									
Features									
Smooth XL oven interior					•				
Oven with hook-in wire rack (retrofitable telescoping pull-outs)	•	•	•	•	•	•	•	•	•
Smooth oven interior	•	•	•	•	•	•	•	•	•
Moisture allowance				•					
Pyrolytic self-cleaning									
Cooling fan with automatic overrun	•	•	•	•	•	•	•	•	•
Full-glass interior door	•	•	•	•	•	•	•	•	•
CoolDoor, max. °C above room temperature	55	55	55	55	40	55	55	55	55
Oven door with Soft Closing				•					
Core temperature sensor									
Stainless steel handle / metal handle, black	• / -	• / -	• / -	• / -	• / -	• / -	• / -	• / -	• / -
Retractable / top-mounted control knobs	- / •	- / •	• / -	• / -	• / -	- / •	- / •	• / -	• / -
Touch Control operation									
Antifinger stainless steel coating	•	•	•	•	•	•	•	•	•
Indicator lights	2	2	2	2	2	2	2	2	2
Electronic clock / LC display				• / -	• / -				• / -
Automatic programmes									
Temperature suggestion / electronic temperature control									
Actual temperature indicator									
Quick heating / child lock / safety switch off	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •
Door lock with pyrolysis operation									
Accessories									
1 baking sheet, enamelled	•	•	•	•		•	•	•	•
1 universal baking sheet / pan, enamelled					• / -				
1 grease pan, enamelled									
1 wire rack	•	•	•	•	•	•	•	•	•
Technical data									
Energy consumption in kWh									
• Conventional	0.79	0.79	0.79	0.79	0.93	0.79	0.79	0.79	0.79
• Recirculated air / hot air	-	0.78	0.78	0.78	0.81	-	0.78	0.78	0.78
Oven capacity in litres	58	60	60	60	72	58	60	60	60
Temperature range in °C	50 - 250	50 - 250	50 - 250	50 - 250	50 - 275	50 - 250	50 - 250	50 - 250	50 - 250
Energy efficiency class ¹⁾	A	A	A	A	A	A	A	A	A

	JUNO JB096B9	JUNO SELECTION JB084C0	JUNO SELECTION JB121D0	JUNO SELECTION JB126D0	JUNO SELECTION JB126S0	JUNO SELECTION JBD167D0
Heating types						
Top / bottom heat	•	•	•	•	•	•
Moist top / bottom heat						
Separate bottom heat	•	•	•	•	•	•
Hot air grill						
Recirculated air grill	•	•	•	•	•	•
Grill stage 1 / grill stage 2	• / •	- / •	- / •	- / •	- / •	• / -
Recirculated air / moist recirculating air						
Hot air / moist hot air	• / •	• / •	• / •	• / •	• / •	• / •
Hot air plus		•				
Frozen foods			•	•	•	•
Pizza stage	•	•	•	•	•	•
Bread baking setting						•
Organic cooking / eco roasting			• / •	• / •	• / •	• / -
Warming			•	•	•	•
Defrost	•		•	•	•	•
Steam, moist cooking low, moist cooking high						•
Regenerating						•
Features						
Smooth XL oven interior		•	•	•	•	•
Oven with hook-in wire rack (retrofitable telescoping pull-outs)	•	•	•	•	•	•
Smooth oven interior	•	•	•	•	•	•
Moisture allowance		•				
Pyrolytic self-cleaning	•			•	•	
Cooling fan with automatic overrun	•	•	•	•	•	•
Full-glass interior door	•	•	•	•	•	•
CoolDoor, max. °C above room temperature	15	55	30	20	20	30
Oven door with Soft Closing		•	•	•	•	•
Core temperature sensor						•
Stainless steel handle / metal handle, black	• / -	• / -	• / -	• / -	- / •	• / -
Retractable / top-mounted control knobs	• / -	• / -				
Touch Control operation			•	•	•	•
Antifinger stainless steel coating	•	•	•	•		•
Indicator lights		2				
Electronic clock / LC display	• / -	• / -	• / •	• / •	• / •	• / •
Automatic programmes			9	9	9	25
Temperature suggestion / electronic temperature control	• / •		• / •	• / •	• / •	• / •
Actual temperature indicator	•		•	•	•	•
Quick heating / child lock / safety switch off	- / • / •	- / - / •	• / • / •	• / • / •	• / • / •	• / • / •
Door lock with pyrolysis operation	•			•	•	
Accessories						
1 baking sheet, enamelled	•		•	•	•	•
1 universal baking sheet / pan, enamelled		• / -				
1 grease pan, enamelled			•	•	•	•
1 wire rack	•	•	•	•	•	•
Technical data						
Energy consumption in kWh						
• Conventional	0.79	0.93	0.93	0.93	0.93	1.09
• Recirculated air / hot air	0.78	0.81	0.69	0.69	0.90	0.68
Oven capacity in litres	56	72	72	72	72	70
Temperature range in °C	50 - 250	50 - 275	30 - 300	30 - 300	30 - 300	30 - 230
Energy efficiency class ¹⁾	A+	A	A+	A+	A+	A+

JUNO COMPACT APPLIANCES

Compact appliances from JUNO – for discerning demands in respect of form and function.



The name says it all

Smaller format with more power – that's compact!

Slim line

Compact appliances are ideal for all who not only enjoy preparing complex menus, but also have a predilection for perfect design. The black all-glass door and the modest touch-sensitive operation are elegantly unobtrusive. Arranged at an ergonomic working height, different appliances can be aesthetically planned along a single line. The combination of oven and compact steamer oven or combi-oven with microwave is very practical for cooks who frequently have to cater for several people. The reduced size of the appliances yields more storage space in the cabinets. That means lots of space for the inherited coffee set, the collection of pots and pans or storage containers.

Modern cooking

What could be worse than overdone vegetables? With the compact steam oven from JUNO you can look forward to crunchy carrots, asparagus, etc. every time. Fish and breast of chicken also remain juicy and retain all their vital nutrients.

A compact steam oven also stands for modernity in the kitchen because it makes cooking so easy. Just fill the water tank, insert the foods, set the required temperature and hey presto! No need to constantly check whether the food is done. And the hob includes an additional zone, for example for preparing a delicious sauce.

1 Design compact appliances

With a continuous panel height of 45 and 60 cm, design compact appliances have the same panel height as 60 cm high built-in ovens of JUNO SELECTION. In combination with a warming drawer, both appliance variants can be optimally combined with each other.

JUNO COMPACT APPLIANCES

Compact appliances from JUNO – for discerning demands in respect of form and function.

Energy efficiency class A

All JUNO compact ovens comply with Energy efficiency class A.



Glass panel with Touch Control

Innovative operation as well as quick and simple cleaning thanks to touch-sensitive operation which, in combination with the continuous glass panel, additionally provides a special design solution.



LC display

The LC display shows all the main functions at a glance, such as the activated type of heating, selected automatic programme, heating status, momentary oven temperature, residual heat and lots more. When switched off, it simultaneously acts as electronic clock and can also be used as kitchen timer.



Antifinger stainless steel coating

The Antifinger stainless steel coating gives your kitchen an extra shine. Fingerprints on the compact ovens are a thing of the past now.



CoolDoor, 30°C above room temperature

The oven door with several glass panels and reflective coating ensures that the heat stays in the oven and the door remains relatively cool on the outside.



Full-glass interior door

The oven door with several all-glass panels has a smooth interior surface that is easy to clean and designed to be removed without tools for effortless cleaning when more extensively soiled.



Hot air

"Hot air" as a type of heating uses a circular heater and ensures that the heat is uniformly distributed in the cooking chamber. As a result, cooking can proceed on up to 2 levels at once, thus saving energy, time and money.



Steam (100 % steam)

Vegetables, side dishes such as rice and dumplings, fish and fruit are gently cooked without pressure. Delicate foods also retain their consistency, colour and above all their taste. Vegetables cooked with steam contain up to 50 % more vitamins than those cooked conventionally and the minerals are preserved almost entirely.



Compact oven with microwave

The compact oven with microwave from JUNO provides several possibilities, such as cooking with classic oven functions or with microwaves. In fact, the two types can even be used in combination, which significantly reduces the cooking time for some foods.



HEATING TYPES

Overview of pictograms

Top / bottom heat		Frozen foods		Regenerating	
Separate bottom heat		Pizza stage		Microwave	
Hot air grill		Bread baking setting		Steam (100 % steam)	
Grill stage 1		Organic cooking		Moist cooking low (25 % steam, 75 % hot air)	
Grill stage 2		Eco roasting		Moist cooking high (50 % steam, 50 % hot air)	
Hot air		Warming			
Moist hot air		Defrost			

FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class A		Door with Soft Closing		Electronic clock	
Energy efficiency class A+		Touch Control		LC display	
CoolDoor, 30°C above room temperature		Antifinger stainless steel coating			



JUNO SELECTION JBKD167D0

Compact steam oven

Heating types

- Steam 50°C - 96°C
- Moist cooking low 50°C - 230°C
- Moist cooking high 50°C - 130°C
- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Hot air
- Moist hot air
- Frozen foods
- Pizza stage
- Bread baking setting
- Organic cooking
- Warming
- Defrost
- Regenerating

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Retrofitable telescoping pull-outs
- Cooling fan with automatic overrun
- Full-glass interior door
- CoolDoor, max. 30°C above room temperature
- Backofentür mit Soft Closing
- Core temperature sensor
- Touch Control operation
- Antifinger stainless steel coating
- Residual heat indicator
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock

Accessories

- 1 baking sheet, enamelled
- 1 grease pan, enamelled
- 1 wire rack

Technical data

Energy consumption	
• Conventional	0.89 kWh
• Recirculated air / Hot air	0.59 kWh
Oven capacity	43 litres
Temperature range	30 - 230°C
Energy efficiency class ¹⁾	A



JUNO SELECTION JBKM131D0

Compact microwave oven

Heating types

- Top/bottom heat
- Separate bottom heat
- Hot air grill
- Grill stage 1
- Grill stage 2
- Hot air
- Frozen foods
- Pizza stage
- Organic cooking
- Eco roasting
- Warming
- Defrost
- Microwave (microwave and oven combination)

Features

- Oven with hook-in wire rack
- Smooth oven interior
- Cooling fan with automatic overrun
- Easy-clean door
- CoolDoor, max. 30°C above room temperature
- Touch Control operation
- Antifinger stainless steel coating
- Residual heat indicator
- Electronic clock / LC display
- 9 automatic programmes
- Temperature suggestion
- Electronic temperature control
- Actual temperature indicator
- Quick heating
- Child lock

Accessories

- 1 baking sheet, enamelled
- 1 wire rack

Technical data

Power rating	
• Microwave	1000 W
• Grill	1900 W
Oven capacity	43 litres
Temperature range	30 - 230°C



JUNO SELECTION JWS14S0

Compact warming drawer

Heating types

- Defrost 30°C
- Setting for letting dough rise: 40°C
- Setting for warming plates: 60°C
- Setting for keeping food warm: 80°C

Features

- 1 indicator light
- SoftTip door mechanism
- For installation under a 45 cm compact appliance
- 25 kg max. load

Accessories

- 1 anti-slip mat



JUNO JM60170110

Microwave

Heating types

- 5 power stages (80, 240, 400, 560, 800 Watt)

Features

- 27.2 cm glass turntable
- Door with window, hinged on left
- Easy-to-use electronic with push buttons and top-mounted rotary knob
- LED function indicator
- Electronic clock
- QUICK Start
- 14 automatic programmes
- Child lock
- Acoustic cooking end signal

Technical data

Power rating	
• Microwave	800 W
Oven capacity	17 litres



JUNO JM60200210

Microwave

Heating types

- 5 power stages (80, 240, 400, 640, 800 Watt)
- Grill stage 1

Features


- 25.5 cm glass turntable
- Door with window, hinged on left
- Touch Control operation with top-mounted rotary knob
- Antifinger stainless steel coating
- LED function indicator
- Electronic clock
- 8 automatic programmes
- Acoustic cooking end signal

Accessories

- 1wire rack

Technical data

Power rating	
• Microwave	800 W
Oven capacity	20 litres



- 1 Bridge function**
Turn two into one!
- 2 Frame stainless steel**
Protection and design in one.
- 3 Touch Slider Control**
The quick selection for every cooking area.
- 4 Induction**
The most efficient and safest cooking technology.
- 5 Hob²Hood function**
Effective air purification completely automatically.

JUNO HOBS

Hobs from JUNO – for quick and energy-saving cooking.

Normal hob or induction?

The first question to be answered when choosing a hob is: induction, yes or no? A short analysis of cooking habits is all you need to make the right decision. Do you cook quite often and frequently also for several people? In that case, you will quickly notice the energy saved with induction, for the energy is delivered very quickly and only over exactly the area occupied by the pot or pan. This also prevents any foods which have boiled over from burning on the hob. Additional functions, such as the Bridge function, the Power function which brings liquids to the boil within minutes, and the pause function, are useful features which are frequently used when cooking every day. No matter which hob you choose, with JUNO you will always choose a hob with high energy efficiency and state-of-the-art technology.

Functions for professional home cooking

Hobs from JUNO have useful features that pay off in everyday use. Safety is assured by the child safety lock, the automatic safety cut-out and the keylock. The automatic electronic bring-to-the-boil function is sure to become one of your favourites, just like the handy roaster zone.

The independent hobs can be controlled via touch-sensitive controls on the panel; some SELECTION appliances even feature the elegant Touch Slider Control.

JUNO HOBS

Hobs from JUNO – for quick and energy-saving cooking.

Frame stainless steel

Perfect functional design The stain-less steel frame prevents the edge of the glass panel being damaged.

Standard

Pot detection

Hobs with pot detection are intelli-gent – an acoustic signal will instantly warn you should you ever use an un-duly small pot or one that is unsuita-ble for induction cooking.

Standard*

Dual / triple cooking zone

Variable cooking area for two or three pots of different sizes.



Roaster zone

The dimensions of this cooking and roasting zone are unique: 17 / 17 x 26.5 cm. It makes you more flexible and allows you to make optimum use of the roasting pans which, although widespread, are too small for normal roasting zones.



Bridge function

The clever Bridge function allows two cooking zones to be combined into one larger zone – an ideal solution for large roasters or pots and pans with a special shape measuring up to 22 x 44 cm.



Hob²Hood function

Hoods with Hob²Hood function guarantee highly effective air clean-ing – completely automatically. As soon as you start cooking, your hob will activate and adjust the neces-sary power level automatically. Un-pleasant cooking odours disappear, leaving you with a constantly fresh smelling kitchen.



Touch Control / Touch slider Control Operation

Easy to use, easy to read, easy to clean. Each cooking zone can be controlled separately.



Automatic electronic bring-to-the- boil function

When setting a cooking zone with au-tomatic bring-to-the-boil function, the cooking zone switches to full pow-er for a certain time and then automat-ically reduces the power to the preset level. This saves time and prevents your foods from being overheated.



Automatic safety switch off

If one of the cooking zones is not switched off after a certain time or the cooking level is not changed, the cooking zone concerned will switch off automatically. The time elapsing before the cooking zone switches off depends on the set cooking level – the higher the power, the sooner it is switched off.

Standard**

Child lock

The child lock can be activated when the hob is switched off: this deactivates all hob functions and prevents incorrect operation by children.

Standard**

Pause

For briefly interrupting the cooking process. Set to hold at the push of a button. The originally set level is restored when the control button is pressed again.



Locking function


When switched on, this function can be used as keylock to prevent inad-vertent maladjustment, for instance when cleaning.

Induction

Safe, quick and precise – cooking with induction. This innovative technology uses the energy of electromagnetic fields. Heat is generated directly in the base of the pot and the hob itself remains relatively cool. Because the food heats up distinctly faster, an induction hob also uses about 25 % less energy than one with radiant heat.



Time required to heat 1.0l water from 18°C to 98°C in a steel enamel pot (DIN 180, 18 cm diameter) on a 18 cm zone




Power stage

By activating the Power stage, the in-duction hob is supplied with enough energy to heat large amounts of liq-uid extremely fast. That way, 1 litre of cold water can be brought to the boil in just 2 minutes.




Time required to heat 1.0l water from 18°C to 98°C in a steel enamel pot (DIN 180, 18 cm diameter) on a 18 cm zone.



FEATURES | FUNCTIONS

Overview of pictograms

Induction		Roaster zone		Automatic electronic bring-to-the-boil function	
Power stage		Dual cooking zone		Pause	
Touch Control operation		Triple cooking zone		Child lock / Locking function	
Touch Slider Control operation		Hob²Hood function			
Residual heat indicator per cooking zone		Bridge function			



JUNO JKFN604F5


Ceramic hob,
depends on cooker model

Quick-glowing cooking zones

- 1 cooking zone, 21 cm
- 2 cooking zones, 14.5 cm
- 1 cooking zone, 18 cm

Features

- Residual heat indicator per cooking zone
- 4 indicator lights
- Frame stainless steel



JUNO JKFN606F5


Ceramic hob,
depends on cooker model

Quick-glowing cooking zones

- 1 dual cooking zone, 12 / 21 cm
- 1 cooking zone, 14.5 cm
- 1 roaster zone, 17 / 17 x 26.5 cm
- 1 cooking zone, 18 cm

Features

- Residual heat indicator per cooking zone
- 4 indicator lights
- Frame stainless steel



JUNO JKSN604F5


Ceramic hob,
independent

Quick-glowing cooking zones

- 1 cooking zone, 21 cm
- 2 cooking zones, 14.5 cm
- 1 cooking zone, 18 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Child lock
- Automatic safety switch off
- Frame stainless steel



JUNO JKSN606F5

Ceramic hob,
independent

Quick-glowing cooking zones

- 1 dual cooking zone, 12 / 21 cm
- 2 cooking zones, 14.5 cm
- 1 roaster zone, 17 / 17 x 26.5 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKSN807F5


Ceramic hob,
independent

Quick-glowing cooking zones

- 1 dual cooking zone, 12 / 18 cm
- 1 cooking zone, 14.5 cm
- 1 triple cooking zone, 14.5 / 21 / 27 cm
- 1 roaster zone, 17 / 17 x 26.5 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKSN301R6

Ceramic hob,
independent

Induction cooking zones

- 1 cooking zone, 14.5 cm
- 1 dual cooking zone, 12 / 18 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frameless (flush-mounted installation)



JUNO JKS1605F9


Ceramic hob with induction, independent

Induction cooking zones

- 1 cooking zone, 21 cm with Power stage
- 1 cooking zone, 18 cm
- 1 roaster zone, 17 / 17 x 26.5 cm
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO SELECTION JKS1603F9

Ceramic hob with induction, independent

Induction cooking zones

- 2 cooking zones, 21 cm with Power function and with Bridge stage
- 1 dual-circuit cooking zone, 18 / 28 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1604F9

Ceramic hob with induction, independent

Induction cooking zones

- 1 cooking zone, 21 cm with Power stage
- 2 cooking zones, 18 cm
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1804F9

Ceramic hob with induction, independent

Induction cooking zones

- 4 cooking zones, 21 cm with Power stage

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO SELECTION JKS1808F9

Ceramic hob with induction, independent

Quick-glowing cooking zones

- 2 cooking zones, 21 cm with Power stage and with Bridge function
- 1 cooking zone, 24 cm with Power function
- 1 cooking zone, 14.5 cm with Power stage

Features

- Touch Slider Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Hob²Hood function
- Automatic electronic bring-to-the-boil function
- Timer and alarm clock
- Pause function
- Child lock
- Automatic safety switch off
- Locking function
- Acoustic input signal
- Frame stainless steel



JUNO JKS1300R8

Ceramic hob with induction, independent

Induction cooking zones

- 2 cooking zones, 18 cm

Features

- Touch Control operation
- Electric hob indicator
- Residual heat indicator per cooking zone
- Pot detection
- Timer and alarm clock
- Pause function
- Child lock
- Locking function
- Acoustic input signal
- Frameless (flush-mounted installation)

JUNO HOBS

All models at a glance

	JUNO JKFN604F5	JUNO JKFN606F5	JUNO JKSJN604F5	JUNO JKSJN606F5	JUNO JKSJN807F5	JUNO JKSJN301R6	JUNO JKSJ605F9	JUNO SELECTION JKSJ603F9	JUNO JKSJ604F9
Appliance type									
Hob, depends on cooker model	•	•							
Hob, independent			•	•	•	•	•	•	•
Quick-glowing cooking zones									
Cooking zone 14.5 cm	2	1	2	2	1	1			
Cooking zone 18 cm	1	1	1						
Cooking zone 21 cm	1		1						
Dual cooking zone 12 / 18 cm					1	1			
Dual cooking zone 12 / 21 cm		1		1					
Roaster zone 17 / 17 x 26.5 cm		1		1	1				
Triple cooking zone 14.5 / 21 / 27 cm				1					
Induction cooking zones									
Cooking zone 14.5 cm									
Cooking zone 14.5 cm with Power stage						1		1	
Cooking zone 18 cm						1		2	
Cooking zone 18 cm with Power stage									
Cooking zone 21 cm with Power stage						1	2	1	
Cooking zone 24 cm with Power stage									
Cooking zone 30 cm with Power stage									
Dual cooking zone 18 / 28 cm with Power stage								1	
Roaster zone 17 / 17 x 26.5 cm						1			
Features									
Touch Control operation			•	•	•	•	•	•	•
Touch Slider Control operation									
Electric hob indicator			•	•	•	•	•	•	•
Residual heat indicator per cooking zone	•	•	•	•	•	•	•	•	•
Indicator lights	4	4							
Pot detection							•	•	•
Bridge function								•	
Roaster zone							•		
Extendable roaster zone		•		•	•				
Dual cooking zone		•		•	•	•		•	
Triple cooking zone					•				
Hob²Hood function								•	
Autom. electr. bring-to-the-boil function				•	•		•	•	•
Timer and alarm clock				•	•	•	•	•	•
Pause function						•		•	•
Child lock			•	•	•	•	•	•	•
Automatic safety switch off			•	•	•	•	•	•	•
Locking function				•	•	•	•	•	•
Acoustic input signal				•	•	•	•	•	•
Flat frame	•	•	•	•	•		•	•	•
Frameless (flush-mounted installation)						•			
Technical data									
Rated connection in kW	6.5	7.4	6.5	7.0	7.5	2.9	7.4	7.4	7.4

	JUNO JKSJ804F9	JUNO SELECTION JKSJ808F9	JUNO JKSJ300R8
Appliance type			
Hob, depends on cooker model			
Hob, independent	•	•	•
Quick-glowing cooking zones			
Cooking zone 14.5 cm			
Cooking zone 18 cm			
Cooking zone 21 cm			
Dual cooking zone 12 / 18 cm			
Dual cooking zone 12 / 21 cm			
Roaster zone 17 / 17 x 26.5 cm			
Triple cooking zone 14.5 / 21 / 27 cm			
Induction cooking zones			
Cooking zone 14.5 cm			
Cooking zone 14.5 cm with Power stage		1	
Cooking zone 18 cm			
Cooking zone 18 cm with Power stage			2
Cooking zone 21 cm with Power stage	4	2	
Cooking zone 24 cm with Power stage		1	
Cooking zone 30 cm with Power stage			
Dual cooking zone 18 / 28 cm with Power stage			
Roaster zone 17 / 17 x 26.5 cm			
Features			
Touch Control operation	•		•
Touch Slider Control operation		•	
Electric hob indicator	•	•	•
Residual heat indicator per cooking zone	•	•	•
Indicator lights			
Pot detection	•	•	•
Bridge function		•	
Roaster zone			
Extendable roaster zone			
Dual cooking zone			
Triple cooking zone			
Hob²Hood function	•	•	
Autom. electr. bring-to-the-boil function	•	•	
Timer and alarm clock	•	•	•
Pause function	•	•	•
Child lock	•	•	•
Automatic safety switch off	•	•	
Locking function	•	•	•
Acoustic input signal	•	•	•
Flat frame	•	•	
Frameless (flush-mounted installation)			•
Technical data			
Rated connection in kW	7.4	7.4	3.6



JUNO EXTRACTOR HOODS

Extractor hoods from JUNO – perfectly designed for every kitchen layout.

Looks perfect ...

You surely spend a great deal of time planning your kitchen. That is good, for the kitchen is a much-used part of the home and should be suitably arranged for the work flows associated with cooking. Along with easy-care surfaces and the internal features, its form is also decisive. Is your kitchen to take the form of a single row, an L-shape or an island? Whatever you choose, JUNO can provide you with a design to match your planning. Flat extractor hoods, overhead wall extractor hoods and island extractor hoods – whatever you choose, extractor hoods from JUNO will fit your kitchen design perfectly.

... and so is the technology!

An extractor hood naturally has to work flawlessly. After all, the Sunday roast has to taste superb, but its scent must not dwell in the kitchen for hours to come! The best way to get rid of smells is with a JUNO extractor hood operating in vented air mode. Depending on the prevailing circumstances, all extractor hoods can also be operated with recirculating air mode. The metal grease filters are easily cleaned in the dishwasher. A handy integrated working light ensures a perfect view when cooking.

- | | | |
|---|--|--|
| <p>1 Power
Powerfully removes unpleasant smells at a rate of up to 700 m³/h.</p> | <p>3 Hob²Hood function
Highly effective air cleaning – completely automatically</p> | <p>5 Metal grease filter
Do a good job!</p> |
| <p>2 Rim ventilation
Optimized air routing for an optimum result.</p> | <p>4 LED Light
Ensures a clear view of everything.</p> | <p>6 Touch Control panel
Clearly laid out and quickly operated.</p> |

JUNO EXTRACTOR HOODS

Extractor hoods from JUNO – perfectly designed for every kitchen layout.

Design JUNO SELECTION

Extractor hoods from the JUNO SELECTION series ideally complement the Selection ovens and compact appliances. The smooth surface of their panels can be cleaned without effort.

Efficiency classes

JUNO extractor hoods comply with all statutory standards and are rated according to 5 different efficiency ratings A+++ to D or specified in dB (energy efficiency, fluid dynamic efficiency, lighting efficiency, grease separation efficiency and sound power level) in accordance with Regulation (EU) no 65-66 / 2014.

LED light

LED light – bright and economical. Efficient LEDs in this extractor hood light up the entire cooking area clearly and brightly.



Vented air / recirculated air

Vented air mode is the most efficient way to eliminate odours, as vapours are diverted out of the kitchen through a wall sleeve. JUNO extractor hoods can also be operated in recirculated mode.

Hob²Hood function

Hoods with Hob²Hood function guarantee highly effective air cleaning – completely automatically. As soon as you start cooking, your hob will activate and adjust the necessary power level automatically.



Metal grease filter

The grease filter absorbs grease from the cooking vapours. Metal grease filters from JUNO are easily cleaned in the dishwasher. This keeps your kitchen clean and shiny, without any unpleasant smells.



Rim ventilation

Cooking vapours are specifically drawn in at high velocity along the edges of the hood and guided to the grease filter in the background.



Fluid dynamic efficiency

Rates the efficiency with which air is routed, i.e. the amount of electrical energy expended in relation to the amount of cooking vapour extracted, filtered and conveyed through the hood.

Lighting efficiency

Rates the efficiency of the lighting. Describes the ratio between the average intensity of the lighting system on the hob and the rated electrical connection of the lighting system.

Grease separating efficiency

Rating for the percentage of grease absorbed from the air drawn into the grease filters of an extractor hood.

FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class



LED light



Metal grease filter



Operation via Touch Control



Rim ventilation



Hob²Hood function



JUNO EXTRACTOR HOODS

Overview of designs

Extractor hood designs

- 1 Flat extractor hood
- 2 Wall extractor hood, oblique form
- 3 Wall extractor hood, flat form
- 4 Wall extractor hood, overhead form
- 5 Island extractor hood, flat form





JUNO JDF602E9

Flat extractor hood, 60 cm

Features

- Telescoping pull-out with glass
- 1 motor
- 3 power stages
- 1 metal grease filter, dishwasher-safe
- Operation via rocker switch
- Lighting: 2 x 4W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m³/h at	
• maximum normal level	280
Noise level at in dB(A) re1pW	
• maximum normal level	61

Technical data

Energy efficiency class ¹⁾	D
Fluid dynamic efficiency class	E
Lighting efficiency class	E
Class for grease separating efficiency	C



JUNO JDF603E9

Flat extractor hood, 60 cm

Features

- Telescoping pull-out without filter
- 1 motor
- 3 power stages
- 1 metal grease filter, dishwasher-safe
- Operation via rocker switch
- Lighting: 2 x 2.5W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m³/h at	
• maximum normal level	360
Noise level at in dB(A) re1pW	
• maximum normal level	68

Technical data

Energy efficiency class ¹⁾	C
Fluid dynamic efficiency class	D
Lighting efficiency class	A
Class for grease separating efficiency	D



JUNO JDF904E6

Flat extractor hood, 90 cm

Features


- Telescoping pull-out with metal grease filter
- 1 motor
- 3 power stages
- 4 metal grease filters, dishwasher-safe
- Operation via sliding switch
- Switches on and off automatically when the movable filter area is actuated
- Lighting: 2 x 1.1 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m³/h at	
• maximum normal level	400
Noise level at in dB(A) re1pW	
• maximum normal level	70

Technical data

Energy efficiency class ¹⁾	B
Fluid dynamic efficiency class	C
Lighting efficiency class	A
Class for grease separating efficiency	C



JUNO SELECTION JDF606E6

Flat extractor hood, 60 cm

Features

- Telescoping pull-out with metal grease filter
- 1 motor
- 3 power stages and 1 intensive stage
- Fan follow-up
- 2 metal grease filters, dishwasher-safe
- Operation via electronic push buttons with LED indicator
- Switches on and off automatically when the movable filter area is actuated
- Lighting: 2 x 3 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m³/h at	
• maximum normal level	496
• intensive level	603
Noise level at in dB(A) re1pW	
• maximum normal level	63
• intensive level	66

Technical data

Energy efficiency class ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	D
Class for grease separating efficiency	C



JUNO SELECTION JDF906E6

Flat extractor hood, 90 cm

Features

- Telescoping pull-out with metal grease filter
- 1 motor
- 3 power stages and 1 intensive stage
- Fan follow-up
- 4 metal grease filters, dishwasher-safe
- Operation via electronic push buttons with LED indicator
- Switches on and off automatically when the movable filter area is actuated
- Lighting: 2 x 3 W, LED
- Suitable for vented air and recirculated air

Power ratings

Power ratings in m³/h at	
• maximum normal level	496
• intensive level	603
Noise level at in dB(A) re1pW	
• maximum normal level	63
• intensive level	66

Technical data

Energy efficiency class ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	E
Class for grease separating efficiency	C



JUNO JDWS605E9
Wall extractor hood, oblique form, 60 cm

JUNO JDWS905E9
Wall extractor hood, oblique form, 90 cm

- Features**
- 1 motor
 - 3 power stages
 - 2 metal grease filters, dishwasher-safe (JDWS605E9)
 - 3 metal grease filters, dishwasher-safe (JDWS905E9)
 - Operation via push buttons
 - Lighting: 2 x 4W, LED
 - Suitable for vented air and recirculated air

Power ratings	
Power ratings in m³/h at	
• maximum normal level	585
Noise level at in dB(A) re1pW	
• maximum normal level	70

Technical data	
Energy efficiency class ¹⁾	C
Fluid dynamic efficiency class	D
Lighting efficiency class	C
Class for grease separating efficiency	C



JUNO JDWF604E9
Wall extractor hood, flat form, 60 cm

JUNO JDWF904E9
Wall extractor hood, flat form, 90 cm

- Features**
- 1 motor
 - 3 power stages
 - 2 metal grease filters, dishwasher-safe (JDWF604E9)
 - 3 metal grease filters, dishwasher-safe (JDWF904E9)
 - Operation via push buttons
 - Lighting: 2 x 2.5W, LED
 - Suitable for vented air and recirculated air

Power ratings	
Power ratings in m³/h at	
• maximum normal level	400
Noise level at in dB(A) re1pW	
• maximum normal level	65

Technical data	
Energieeffizienzklasse ¹⁾	D
Fluid dynamic efficiency class	E
Lighting efficiency class	A
Class for grease separating efficiency	C



JUNO SELECTION JDWF606E9
Wall extractor hood, flat form, 60 cm

JUNO SELECTION JDWF906E9
Wall extractor hood, flat form, 90 cm

- Features**
- 1 motor
 - 3 power stages
 - 2 metal grease filters, dishwasher-safe (JDWF606E9)
 - 3 metal grease filters, dishwasher-safe (JDWF906E9)
 - Operation via push buttons
 - Lighting: 2 x 2.5W, LED
 - Suitable for vented air and recirculated air

Power ratings	
Power ratings in m³/h at	
• maximum normal level	603
Noise level at in dB(A) re1pW	
• maximum normal level	68

Technical data	
Energieeffizienzklasse ¹⁾	B
Fluid dynamic efficiency class	B
Lighting efficiency class	A
Class for grease separating efficiency	B

NEW



JUNO SELECTION JDWK607S0
Wall extractor hood, overhead form, 60 cm

- Features**
- 1 motor
 - 3 power stages and 1 intensive stage
 - 2 metal grease filters, dishwasher-safe
 - Saturation indicator for metal grease and active carbon filter
 - Extraction zones: front and bottom side
 - Rim ventilation in the front
 - Operation via Touch Control
 - Hob²Hood function
 - Black glass
 - Lighting: 2 x 2.5 W, LED
 - Suitable for vented air and recirculated air

Power ratings	
Power ratings in m³/h at	
• maximum normal level	575
• Intensivstufe	700
Noise level at in dB(A) re1pW	
• maximum normal level	63
• intensive level	68

Technical data	
Energieeffizienzklasse ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	F

NEW



JUNO SELECTION JDWK907S0
Wall extractor hood, overhead form, 90 cm

- Features**
- 1 motor
 - 3 power stages and 1 intensive stage
 - 2 metal grease filters, dishwasher-safe
 - Saturation indicator for metal grease and active carbon filter
 - Extraction zones: front and bottom side
 - Rim ventilation in the front
 - Operation via Touch Control
 - Hob²Hood function
 - Black glass
 - Lighting: 2 x 2.5 W, LED
 - Suitable for vented air and recirculated air

Power ratings	
Power ratings in m³/h at	
• maximum normal level	575
• Intensivstufe	700
Noise level at in dB(A) re1pW	
• maximum normal level	63
• intensive level	68

Technical data	
Energieeffizienzklasse ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	F

NEW



JUNO SELECTION JDIF907E0
Island extractor hood, 90 cm

- Features**
- 1 motor
 - 3 power stages and 1 intensive stage
 - 3 metal grease filters, dishwasher-safe
 - Saturation indicator for metal grease and active carbon filter
 - Operation via Touch Control
 - Hob²Hood function
 - Lighting: 4 x 2.5W, LED
 - Suitable for vented air and recirculated air

Power ratings	
Power ratings in m³/h at	
• maximum normal level	615
• Intensivstufe	720
Noise level at in dB(A) re1pW	
• maximum normal level	68
• Intensivstufe	72

Technical data	
Energieeffizienzklasse ¹⁾	A
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Class for grease separating efficiency	D

Extractor hoods

JUNO EXTRACTOR HOODS

All models at a glance

	JUNO JDF602E9	JUNO JDF603E9	JUNO JDF904E6	JUNO SELECTION JDF606E6	JUNO SELECTION JDF906E6	JUNO JDW5605E9	JUNO JDW5905E9	JUNO JDWF604E9	JUNO JDWF904E9
Features									
Telescoping pull-out without filter		•							
Telescoping pull-out with glass	•								
Telescoping pull-out with metal grease filter			•	•	•				
Motor	1	1	1	1	1	1	1	1	1
Power stages	3	3	3	3	3	3	3	3	3
Intensive stage			1	1					
Fan follow-up			•	•					
Metal grease filters, dishwasher-safe	1	2	4	2	4	2	3	2	3
Saturation indicator for metal grease and active carbon filter									
Rim ventilation									
Operation via rocker switch	•	•							
Operation via sliding switch			•						
Operation via push buttons				•	•	•	•	•	•
Operation via Touch Control									
LED indicator				•	•				
Hob²Hood function									
Switches on and off automatically when the movable filter area is actuated			•	•	•				
Power ratings									
Power ratings at maximum normal level in m3/h	280	360	400	469	496	585	585	400	400
Noise level at maximum normal level in dB(A) re1pW	61	68	70	63	63	70	70	65	65
Technical data									
LED light in Watts	2 x 4	4 x 2.5	2 x 1.1	2 x 3	2 x 3	2 x 4	2 x 4	2 x 2.5	2 x 2.5
Energy consumption in kWh/year	67.8	46.7	50	44.1	44.1	76.9	76.9	58.9	58.9
Suitable for vented or recirculating mode	•	•	•	•	•	•	•	•	•
Energy efficiency class ¹⁾	D	C	B	A	A	C	C	D	D
Fluid dynamic efficiency class	E	D	C	A	A	D	D	E	E
Lighting efficiency class	E	A	A	D	E	C	C	A	A
Class for grease separating efficiency	C	D	C	C	C	C	C	C	C

	JUNO SELECTION JDWF606E9	JUNO SELECTION JDWF906E9	JUNO SELECTION JDWK60750	JUNO SELECTION JDWK90750	JUNO SELECTION JDIF906E0
Features					
Telescoping pull-out without filter					
Telescoping pull-out with glass					
Telescoping pull-out with metal grease filter					
Motor	1	1	1	1	1
Power stages	3	3	3	3	3
Intensive stage			1	1	1
Fan follow-up					
Metal grease filters, dishwasher-safe	2	3	2	2	3
Saturation indicator for metal grease and active carbon filter			•	•	•
Rim ventilation			•	•	
Operation via rocker switch					
Operation via sliding switch					
Operation via push buttons	•	•			
Operation via Touch Control			•	•	•
LED indicator			•	•	
Hob²Hood function			•	•	•
Switches on and off automatically when the movable filter area is actuated					
Power ratings					
Power ratings at maximum normal level in m3/h	603	603	575	575	615
Noise level at maximum normal level in dB(A) re1pW	68	68	63	63	68
Technical data					
LED light in Watts	2 x 2.5	2 x 2.5	2 x 2.5	2 x 2.5	4 x 2.5
Energy consumption in kWh/year	55.3	55.3	53.5	53.5	59
Suitable for vented or recirculating mode	•	•	•	•	•
Energy efficiency class ¹⁾	B	B	A	A	A
Fluid dynamic efficiency class	B	B	A	A	A
Lighting efficiency class	A	A	A	A	A
Class for grease separating efficiency	B	B	F	F	D



1 XXL interior
A little more perhaps?

2 Noise level
Is the dishwasher running?

3 Height-adjustable top basket
Adaptable & accommodating.

4 TIMEBEAM
See outside what is going on inside!

5 Soft Spikes
Takes care of the good glasses.

6 Delay start
Does the job when you want it done!

JUNO DISHWASHERS

Dishwashers from JUNO adjust admirably to your needs – from festive dinners to cocktail parties.

Flexibility inside

The type and number of plates, etc. in everyday use are mostly very similar. The dishwasher is arranged accordingly and filling it is a routine matter. But what happens when all the big beer glasses need to be put away at once after sitting together to watch a football match? Or when mother-in-law has been served a big Sunday roast? In such cases, it is good to have a dishwasher that can be adapted internally to accommodate such unusually large items as the big roasting pan.

Adaptation of the power

In the same way that the baskets can be adapted to accommodate the plates, etc., various dishwashing programmes can be selected to meet your momentary needs. Rule of thumb: the dirtier and more numerous the plates, the hot-

ter and longer they should be cleaned. Some models have an automatic programme that adjusts to the contents automatically. A Quick programme that runs at temperatures up to 65 °C in 30 minutes or a Hygiene Plus programme can also be selected. All dishwashers feature load sensors. They determine the right temperature and amount of water for the type and number of plates, etc., thus effectively saving water and energy. A starting time can be entered to start the dishwasher at a specific time, such as when electricity rates are cheaper or when its noise causes the least disturbance.

Efficient use of energy

All JUNO dishwashers use energy exceedingly efficiently. They can achieve maximum savings of up to 21 %.

JUNO DISHWASHERS

Dishwashers from JUNO adjust admirably to your needs – from festive dinner to cocktail parties.

Energy efficiency class A+

All JUNO dishwashers have at least Energy efficiency class A+. These appliances use about 11 % less energy than the limit value for class A.

A+

Standard

Energy efficiency class A++

The best JUNO dishwashers have Energy efficiency class A++. These appliances use about 21 % less energy than the limit value for class A. That saves money and protects the environment.

A++

XXL interior

Due to the innovative technical design of their interior, the internal capacity of XXL dishwashers from JUNO is increased by 10 litres and their interior height by 4 cm with the same exterior dimensions. They can therefore also be used to clean large pots or plates measuring up to 33 cm in diameter.

XL

Self-cleaning sieve

The flat sieve is particularly handy, as its special wave form ensures that it is effectively cleaned by itself.



Number of standard place settings

Dishwasher capacity is expressed in standard place settings. Our 60 cm wide dishwashers can accommodate up to 15 standard place settings. 45 cm wide dishwashers can take up to 9 standard place settings.

9

13

15

Standard

Load sensor

Sensors determine the type and number of dishes and the amount of water needed. More water is needed when the machine is full than when it contains fewer plates, etc.

Standard

Delay start

The delay start allows you to determine when a dishwashing programme is to start in the coming hours. Depending on model, the starting time can be delayed for up to 24 hours.

Delay start icon

TimeManager

The programme time can be reduced by up to 50 % with the optional TimeManager. Your dishes are cleaned perfectly in accordance with your own schedule.

TimeManager icon

TimeBeam

TimeBeam technology projects the programme status and exactly the remaining minutes onto the floor. The colour of the bright light can be varied to make it highly visible on all floor coverings.

TimeBeam icon

Hygiene Plus

The Hygiene Plus option increases the temperature of the final rinse to 70°C in order to ensure that everything is rinsed 99.99 % bacteria-free.

Hygiene Plus icon

XtraDry

The XtraDry option ensures higher drying capacity, particularly when the machine contains lots of plastic dishes. Everything is dried perfectly by the modified programme sequence with elevated final rinsing temperature and extended drying phase.

XtraDry icon

AirDry

On completion of the drying programme the door automatically opens to 12 - 13 cm. This function may also be switched off.

AirDry icon

Rapid height-adjustable top basket

The height of the top basket can be adjusted quickly and easily, even when loaded. This creates additional space for more plates in the top basket or for larger plates in the bottom basket.

Rapid height-adjustable top basket icon



Flexible top basket

4 foldable cup shelves

The cup shelves in the top basket can be folded down to make room for large glasses.

Standard

Extra-flexible top basket

4 foldable cup shelves, 2 foldable supports for large glasses, 2 foldable plate racks, 2 Soft Spikes

The cup shelves in the top basket can be folded down to make room for large glasses.



Flexible bottom basket

2 foldable plate racks

Foldable plate racks in the bottom basket allow you to make room for large pots and pans.

Extra-flexible bottom basket

4 foldable plate racks

With four foldable plate racks, a great deal of space can be created in the bottom basket for large pots and pans.



Cutlery drawer

The cutlery drawer provides plenty of space for cutlery, salad servers as well as espresso cups. The entire drawer is easy to remove and can even be fitted into a kitchen drawer.

Cutlery drawer icon

Soft Spikes

Glasses in the top basket are held securely by the Soft Spikes which can be flexibly positioned in the top basket.

Soft Spikes icon



Aqua-Stop

Aqua-Stop is an all-round safety feature to prevent nasty surprises. The programme prevents leaks by detecting damage to the inflow hose and an emptying pump ensures that the water is pumped off.



Standard

Sliding door system

When the appliance door is opened, the furniture front glides upwards, thus enabling a minimum gap dimension as well as the appearance of extremely long furniture fronts.



Antifinger stainless steel coating

The Antifinger stainless steel coating gives your kitchen an extra shine. Fingerprints on the dishwasher panel are a thing of the past now.



PROGRAMMES

Dishwashers feature a number of special programmes to meet the needs of different lifestyles.

Intensive

At a temperature of 70 °C, your dishwasher produces an immaculate result even when the dishes are heavily soiled with dried-on food residues, such as egg white or starch.



Standard

Automatic

A sensor in the Automatic programme (45 - 70 °C) detects the extent to which the plates etc. in the dishwasher are soiled. The programme is adjusted automatically to maximize energy, water and time savings.



30 minutes

Your dishwasher is designed to harmonize perfectly with your style of life. The 30 minutes programme, for instance, gives you maximum flexibility and delivers clean dishes at up to 65 °C in just 30 minutes.



Glass

The programme Glass 45 °C gives you the security that your delicate glass will be cleaned thoroughly, but also gently and without damaging them. They will suffer neither temperature shocks nor due to the wrong water hardness.



ExtraSilent 41 dB / 50 °C

I beg your pardon? You heard nothing? That is exactly as it should be. With a noise level of just 41 dB in the ExtraSilent programme, the dishwasher can run even during rest periods without disturbing anyone. This makes it ideal for large open-plan kitchens.



FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class A+	A+	TimeManager		AirDry	
Energy efficiency class A++	A++	Hygiene Plus		Cutlery drawer	
Drying efficiency class A		XtraDry		Height-adjustable top basket	
XXL interior		9 place settings		Soft Spikes	
Intensive 70 °C		13 place settings		Noise level	 43dB
Automatic 45 - 70 °C	AUTO	15 place settings		Water	 9,9 L
30 minutes		Antifinger stainless steel coating		Aqua-Stop	
Glass 45 °C		Delay Start		Sliding door system	
ExtraSilent 41 dB / 50 °C		TimeBeam			



JUNO JGIN60318
Integrated dishwasher, 60 cm

- Programmes**
- Intensive 70 °C
 - Normal 65 °C
 - Eco 50 °C
- Capacity**
- 13 international place settings
- Features**
- Top-mounted control knob
 - Antifinger stainless steel coating
 - Delay start 3 hours
 - Programme sequence indicator
 - End-of-programme indicator
 - AirDry
 - LED indicator for refill salt and rinse aid
 - Continuous-flow heater
 - Load sensor
 - AutoOff
 - Interior and base in stainless steel
 - Aqua-Stop
 - Self-adhesive PP vapour-proof film
- Flexible top basket**
- 4 foldable cup shelves in top basket
 - Manually height-adjustable top basket
 - Max. dish height:
top 24 / 20 cm, bottom 27 / 31 cm
- Bottom basket**
- Bottom basket with fixed rows of plate racks
- Technical data**
- | | |
|---------------------------------------|---------------|
| Noise levels | 52 dB (re1pW) |
| Energy consumption / year | 295 kWh |
| Water consumption* | 11 litres |
| Energy efficiency class ¹⁾ | A+ |
| Drying efficiency class | A |

JUNO DISHWASHERS

All models at a glance

	JUNO JGVN45518	JUNO JGVN60418	JUNO JGVN60528	JUNO SELECTION JGVX60528	JUNO SELECTION JGVX60529	JUNO SELECTION JGVX60628	JUNO JGIN60318
Programmes							
Intensive 70 °C	•	•	•	•	•	•	•
Normal 65 °C	•	•					•
Auto 45 - 70 °C			•	•	•	•	
Eco 50 °C	•	•	•	•	•	•	•
30 minutes 60 °C / 30 minutes 65 °C	• / -	• / -	• / -	- / •	- / •	- / •	
Glass 45 °C				•	•	•	
ExtraSilent 41 dB, 50 °C						•	
Pre-rinse			•			•	
Special functions							
TimeManager						•	
Hygiene Plus				•	•	•	
XtraDry	•	•	•	•	•	•	
Capacity							
Place settings	9	13	13	13	15	13	13
Features							
XXL interior				•	•	•	
Top-mounted control knobs, Antifinger stainless steel coating							•
Delay start in hours	3, 6, 9	3, 6, 9	1 - 24	1 - 24	1 - 24	1 - 24	3
Programme sequence indicator							•
Time remaining indicator in minutes			•	•	•	•	
Acoustic signal at end of programme	•	•	•	•	•	•	
End-of-programme indicator	•	•					•
TimeBeam						•	
AirDry	•	•	•	•	•	•	•
LED indicator for refill salt	•						
LED indicator for refill salt and rinse aid		•	•	•	•	•	•
Refill rinse aid indicator on dosing unit	•						
Continuous-flow heater, Load sensors	•	•	•	•	•	•	•
AutoOff	•	•	•	•	•	•	•
Interior and base in stainless steel	•	•	•	•	•	•	•
Self-cleaning sieve				•	•	•	
Cutlery drawer					•		
Flexible top basket	•	•	•				•
Extra-flexible top basket				•	•	•	
Manually height-adjustable							•
Rapid height-adjustable	•	•	•	•	•	•	
Max. dish height: top 24/20 cm, bottom 27/31 cm	•	•	•				•
Max. dish height: top 24 / 21 cm, bottom 28 / 34 cm				•		•	
Max. dish height: top 16.5 / 12 cm, bottom 28 / 33 cm					•		
Foldable cup shelves	4	4	4	4	4	4	4
Foldable supports for large glasses				4	2	4	
Foldable plate racks, Soft Spikes				2	2	2	
Flexible bottom basket		•	•	•	•		
Extra-flexible bottom basket						•	
Foldable plate racks		2	2	2	2	4	
Aqua-Stop, self-adhesive PP vapour-proof film	•	•	•	•	•	•	•
Fixed or sliding door system	•	•	•	•	•	•	
Technical data							
Noise levels in dB(A) re1pW	49	49	47	46	46	43	52
Energy consumption in kWh*	0.79	1.05	0.94	0.94	0.96	0.94	1.05
Water consumption in litres*	9.9	11	9.9	10.5	11	10.5	11
Energy efficiency class ¹⁾	A+	A+	A++	A++	A++	A++	A+
Drying efficiency class	A	A	A	A	A	A	A



JUNO FRIDGES

Fridges from JUNO – for optimum storage of your fresh groceries.

Fresh keeps better

A familiar situation – the day in the office ends late and the supermarket is already closed. A quick look in the fridge at home and ... what a relief to see it is packed with fresh food. Fridges from JUNO are ideal in such situations. The hygienic glass shelves are easy to clean. The indicator shows whether the temperature is low enough to store unpasteurized cheese.

Always nice and clean

Goodbye to frost and water. A special feature of the JUNO cooling units is the NoFrost-technology, which prevents the formation of ice and frost. This keeps the interior of the appliance always clean and hygienic. Consequently, defrosting is over – the condensate evaporates automatically. Thus, both compartments of the fridge-/freezer combination are automatically defrosted.

- | | | |
|--|---|---|
| <p>1 LED-Display
Everything in view and easy to use with Touch Control (not shown).</p> | <p>3 CustomFlex®-door storage system
Optimal use of space – thanks to movable boxes.</p> | <p>5 NoFrost-technology
Easy handling due to an equal distribution of the temperature and the prevention of ice formation.</p> |
| <p>2 Transparent features inside the door
Technical features can also look good.</p> | <p>4 Glass shelves
Look good and are easy to clean.</p> | |

JUNO FRIDGES

Fridges from JUNO – for optimum storage of your fresh groceries.

Energy efficiency classes

All built-in fridges from JUNO have at least Energy efficiency class A+. The best built-in fridges from JUNO have Energy efficiency class A++. These appliances use about 21 % less energy than the limit value for class A+. That saves money and protects the environment.

A++

A+

Standard

LC display

Convenient operation of all functions via touch-sensitive sensors – a touch of the finger is all it takes. The LC display shows the selected functions.

LCD



LED interior light

For perfect illumination of the fridge interior. Bright LED light that gradually intensifies: the light slowly becomes brighter over 2 seconds when the door is opened.

LED

Glass shelves

Safety glass shelves with metal-coloured protective strip.

- The protective strip protects the glass edge. This reduces the risk of the glass breaking.
- If the glass should ever be damaged, it breaks up into numerous small fragments, thus greatly reducing the risk of injury.

Standard



Transparent features inside the door

The bright easy-care interior fittings ensure a perfect overview and are cleaned in a jiffy.

Standard

CustomFlex®-door storage system

With its moveable containers, the CustomFlex® storage system makes optimum use of every inch of space in the door and permits the practical arrangement of food in any way you choose.

CustomFlex

- Comprising:
- 1 container with flap (half width)
 - 2 wide door shelves (¾ width)
 - 2 narrow, small door shelves
 - 1 tall, narrow container / door shelf
 - 2 moveable clips.

LowFrost system

Permits very rapid defrosting and easy cleaning. LowFrost technology with external evaporator significantly reduces the formation of ice and frost; the inner walls of the freezing compartment are smooth and without cooling coils.

LOW FROST

This innovative design permits FLEXIBLE USE OF THE FREEZING CHAMBER, as the glass shelves and drawers can be removed from the freezing chamber. This creates space for large items of food, such as a turkey or gateau.



NoFrost

No need to defrost ever again. No icing/frosting in the freezer or on frozen items. Both sections of the fridge/freezer combination defrost automatically. Defrost water evaporates automatically.

Temperature indicator

JUNO fridges have a temperature indicator which changes and shows "OK" when the temperature drops below 4 °C. So that you know it is cold enough to store unpasteurized cheese without difficulty, for example.

Standard

FEATURES | FUNCTIONS

Overview of pictograms

Energy efficiency class A+	A+	LED interior light	LED	LowFrost system	LOW FROST
Energy efficiency class A++	A++	Separate air circulation	Air Circulation	NoFrost	NO FROST
LC display	LCD	CustomFlex® door storage system	CustomFlex		



Integrated freezer

- Capacity: 98 litres
- Electronic temperature control

- **** freezer compartment: -18°C and lower
- 4 transparent drawers for frozen food
- 3 removable glass shelves
- LowFrost system
- Quick freeze
- 2 indicator lights
- Ice cube tray
- Ice scraper

Freezer compartment: manually defrosted

Energy efficiency class ¹⁾	A++
Energy consumption/year	157 kWh
Noise level	34 dB
Freezing capacity	10 kg / 24 hours
Storage time in case of faults	20 hours



Integrated fridge

Integrated fridge

- Capacity: 142 litres
- Mechanical temperature control

- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Fridge compartment: defrosts automatically

Energy efficiency class ¹⁾	
· JCN08810S5	A+
· JCN08820S7	A++
Energy consumption / year	
· JCN08810S5	122 kWh
· JCN08820S7	96 kWh
Noise level	
· JCN08810S5	38 dB
· JCN08820S7	38 dB



Integrated fridge
with freezer compartment

Integrated fridge
with freezer compartment


- Capacity total: 123 litres
- Mechanical temperature control

- Capacity: 109 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

- **** freezer compartment: -18°C and lower
- Capacity: 14 litres
- Ice cube tray

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Energy efficiency class ¹⁾	
• JCF08810S5	A+
• JCF08820S7	A++
Energy consumption / year	
• JCF08810S5	186 kWh
• JCF08820S7	151 kWh
Noise level	
• JCF08810S5	38 dB
• JCF08820S7	38 dB
Freezing capacity	2 kg / 24 hours
Storage time in case of faults	12 hours



Integrated fridge

- Capacity: 181 litres
- Mechanical temperature control

- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Fridge compartment: defrosts automatically

Energy efficiency class ¹⁾	A+
Energy consumption / year	126 kWh
Noise level	35 dB



Integrated fridge
with freezer compartment

- Capacity total: 159 litres
- Mechanical temperature control

- Capacity: 142 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

- **** freezer compartment: -18°C and lower

- Ice cube tray

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Energy efficiency class ¹⁾	A+
Energy consumption / year	205 kWh
Noise level	36 dB
Freezing capacity	2 kg / 24 hours
Storage time in case of faults	10 hours



Integrated fridge

- Capacity: 207 litres
- Mechanical temperature control

- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 1 transparent vegetable container
- 5 door shelves
- Automatic defrost function
- Egg tray

Fridge compartment: defrosts automatically

Energy efficiency class ¹⁾	A+
Energy consumption / year	131 kWh
Noise level	35 dB



JUNO JCN12220S5

Integrated fridge

General

- Capacity: 207 litres
- Mechanical temperature control

Fridge compartment

- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 1 transparent vegetable container
- 5 door shelves
- Automatic defrost function
- Egg tray

Defrosting method

Fridge compartment: defrosts automatically

Technical data

Energy efficiency class ¹⁾	A++
Energy consumption / year	103 kWh
Noise level	35 dB



JUNO JCF12210S5

Integrated fridge
with freezer compartment

General

- Capacity total: 187 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 173 litres
- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 5 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 14 litres
- Ice cube tray

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A+
Energy consumption / year	214 kWh
Noise level	35 dB
Freezing capacity	2 kg / 24 hours
Storage time in case of faults	12 hours



JUNO JCF12220S5

Integrated fridge
with freezer compartment

General

- Capacity total: 187 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 173 litres
- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 1 transparent vegetable container
- 5 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 14 litres
- Ice cube tray

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A++
Energy consumption / year	174 kWh
Noise level	35 dB
Freezing capacity	2 kg / 24 hours
Storage time in case of faults	12 hours



JUNO JCT12210S5

Integrated fridge / freezer unit
with freezer at top

General

- Capacity total: 191 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 147 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 transparent vegetable container
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 44 litres
- Shelf, height-adjustable
- Ice cube tray
- Ice scraper

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A+
Energy consumption / year	231 kWh
Noise level	36 dB
Freezing capacity	2 kg / 24 hours
Storage time in case of faults	18 hours



JUNO JCU14510S6

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 217 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 160 litres
- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 57 litres
- 2 transparent drawers for frozen food
- 1 removable glass shelf
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A+
Energy consumption / year	259 kWh
Noise level	35 dB
Freezing capacity	4 kg / 24 hours
Storage time in case of faults	20 hours



JUNO JCU15810S5

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 232 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 160 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 72 litres
- 1 freezer compartment with transparent flap
- 2 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A+
Energy consumption / year	274 kWh
Noise level	36 dB
Freezing capacity	4 kg / 24 hours
Storage time in case of faults	22 hours



JUNO JCU15820S5

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 232 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 160 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 72 litres
- 1 freezer compartment with transparent flap
- 2 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A++
Energy consumption / year	215 kWh
Noise level	36 dB
Freezing capacity	4 kg / 24 hours
Storage time in case of faults	22 hours



JUNO SELECTION JCF17820S9

Integrated fridge
with freezer compartment

General

- Capacity total: 284 litres in total
- Electronic temperature control via LC display with Touch Control operation
- Acoustic warning signal

Fridge compartment

- Capacity: 259 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 1 transparent pull-out
- 5 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 25 litres
- Ice cube tray

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A++
Energy consumption / year	215 kWh
Noise level	35 dB
Freezing capacity	3 kg / 24 hours
Storage time in case of faults	18 hours



JUNO JCU17810S5

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 268 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 196 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 72 litres
- 1 freezer compartment with transparent flap
- 2 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A+
Energy consumption / year	291 kWh
Noise level	36 dB
Freezing capacity	4 kg / 24 hours
Storage time in case of faults	22 hours



JUNO JCU17820S5

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 268 litres
- Mechanical temperature control

Fridge compartment

- Capacity: 196 litres
- LED interior light
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 2 transparent vegetable containers
- 4 door shelves
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 72 litres
- 1 freezer compartment with transparent flap
- 2 transparent drawers for frozen food
- 2 removable glass shelves
- LowFrost system
- Frozen food calendar
- Ice cube tray
- Ice scraper

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A++
Energy consumption / year	229 kWh
Noise level	36 dB
Freezing capacity	4 kg / 24 hours
Storage time in case of faults	22 hours



JUNO SELECTION JCU17828S9

Integrated fridge / freezer unit
with freezer at bottom

General

- Capacity total: 253 litres
- Electronic temperature control via LED display with Touch Control operation

Fridge compartment

- Capacity: 192 litres
- LED interior light with brightening effect
- Temperature indicator
- 5 glass shelves, thereof 4 height-adjustable
- 2 transparent vegetable containers
- CustomFlex® door storage system
- Automatic defrost function
- 2 egg trays
- Retainer

Freezer compartment

- **** freezer compartment: -18°C and lower
- Capacity: 61 litres
- 3 transparent drawers for frozen food
- 2 removable glass shelves
- NoFrost
- Ice cube tray
- Cold pack

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class ¹⁾	A++
Energy consumption / year	228 kWh
Noise level	39 dB
Freezing capacity	4 kg / 24 hours
Storage time in case of faults	20 hours



JUNO JCN08220F9

Built-under fridge

General

- Capacity: 133 litres

Fridge compartment

- LED interior light
- Temperature indicator
- 4 glass shelves, thereof 3 height-adjustable, 1 divisible
- 1 vegetable compartment
- 3 door shelves, thereof 1 small movable shelf
- Automatic defrost function
- Egg tray

Defrosting method

Fridge compartment: defrosts automatically

Technical data

Energy efficiency class¹⁾ A++
Energy consumption / year 91 kWh
Noise level 37 dB



JUNO JCF08210F5

Built-under fridge
with freezer compartment

General

- Capacity total: 109 litres

Fridge compartment

- Capacity: 93 litres
- LED interior light
- Temperature indicator
- 3 glass shelves, thereof 2 height-adjustable
- 1 vegetable compartment
- 3 door shelves, thereof 1 small movable shelf
- Automatic defrost function
- Egg tray

Freezer compartment

- **** freezer compartment: -18 °C and lower
- Capacity: 16 litres
- Ice cube tray

Defrosting method

Fridge compartment: defrosts automatically
Freezer compartment: manually defrosted

Technical data

Energy efficiency class¹⁾ A+
Energy consumption / year 172 kWh
Noise level 38 dB
Freezing capacity 2.5 kg / 24 hours
Storage time in case of faults 11 hours

JUNO FRIDGES

All models at a glance

	JUNO JCG08820S9	JUNO JCN08810S5	JUNO JCN08820S7	JUNO JCF08810S5	JUNO JCF08820S7	JUNO JCN10210S5	JUNO JCF10210S5	JUNO JCN12210S5
Capacity in litres								
Fridge compartment	142	142	109	109	181	142	207	
Freezer compartment	98		14	14		17		
Total	98	142	142	123	123	181	159	207
Features fridge								
Mechanical temperature control	•	•	•	•	•	•	•	
Electronic temperature control via LC display with Touch Control operation								
Acoustic warning signal								
LED interior light	•	•	•	•	•	•	•	
LED interior light with brightening effect								
Temperature indicator	•	•	•	•	•	•	•	
Total shelves								
Total glass shelves	4	4	3	3	4	3	5	
High-adjustable glass shelves	3	3	2	2	3	2	4	
Transparent vegetable containers	1	1	1	1	1	1	1	
Transparent pull-outs								
Vegetable compartment								
Door shelves	4	4	4	4	4	4	5	
Door shelves, thereof 1 small movable shelf								
CustomFlex® door storage system								
Automatic defrost function	•	•	•	•	•	•	•	
Egg tray	•	•	•	•	•	•	•	
Bottle shelf / Retainer	•/-	•/-	•/-	•/-	•/-	•/-	•/-	
Features freezer								
**** freezer comp.: -18 °C and lower	•		•	•		•		
Shelf, height-adjustable								
Freezer compartment with transparent flap								
Transparent drawer for frozen food	4							
Removable glass shelf	3							
Electronic temperature control	•							
Quick freeze	•							
Indicator lights	2							
LowFrost system	•							
NoFrost								
Frozen food calendar								
Ice cube tray / Ice scraper	•/•		•/-	•/-		•/-		
Cold pack								
Defrosting method								
Fridge compartment: defrosts automatically								
Freezer compartment: manually defrosted								
Defrosting method								
Energy efficiency class ¹⁾	A++	A+	A++	A+	A++	A+	A+	A+
Noise level in dB(A) re1pW	34	38	38	38	38	35	36	35
Energy consumption / year in kWh	157	122	96	186	151	126	205	131
Freezing capacity in kg/24 h	10			2	2		2	
Storage time in case of faults in hours	20			12	12		10	
A+ fridges: Distribution in Switzerland precluded for legal reasons.		•		•		•	•	•

JUNO FRIDGES

All models at a glance

	JUNO JCN12220S5	JUNO JCF12210S5	JUNO JCF12220S5	JUNO JCT12210S5	JUNO JCU14810S6	JUNO JCU15810S5	JUNO JCU15820S5	JUNO SELECTION JCF17820S9
Capacity in litres								
Fridge compartment	207	173	173	174	160	160	160	259
Freezer compartment		14	14	44	57	72	72	25
Total	207	187	187	191	217	232	232	284
Features fridge								
Mechanical temperature control	•	•	•	•	•	•	•	
Electronic temperature control via LC display with Touch Control operation								•
Acoustic warning signal								•
LED interior light	•	•	•	•	•	•	•	•
LED interior light with brightening effect								
Temperature indicator	•	•	•	•	•	•	•	•
Total shelves								
Total glass shelves	5	4	4	3	4	3	3	5
High-adjustable glass shelves	4	3	3	2	3	2	2	4
Transparent vegetable containers	1	1	1	1	2	2	2	
Transparent pull-outs								1
Vegetable compartment								
Door shelves	5	5	5	4	4	4	4	5
Door shelves, thereof 1 small movable shelf								
CustomFlex® door storage system								
Automatic defrost function	•	•	•	•	•	•	•	•
Egg tray	•	•	•	•	•	•	•	•
Bottle shelf / Retainer	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-
Features freezer								
**** freezer comp.: -18°C and lower		•	•	•	•	•	•	•
Shelf, height-adjustable				•				
Freezer compartment with transparent flap						1	1	
Transparent drawer for frozen food					2	2	2	
Removable glass shelf					1	2	2	
Electronic temperature control								
Quick freeze								
Indicator lights								
LowFrost system					•	•	•	
NoFrost								
Frozen food calendar					•	•	•	
Ice cube tray / Ice scraper		•/-	•/-	•/•	•/•	•/•	•/•	•/-
Cold pack								
Defrosting method								
Fridge compartment: defrosts automatically								
Freezer compartment: manually defrosted								
Defrosting method								
Energy efficiency class ¹⁾	A++	A+	A++	A+	A+	A+	A++	A++
Noise level in dB(A) re1pW	35	35	35	36	35	36	36	35
Energy consumption / year in kWh	103	214	174	231	259	274	215	215
Freezing capacity in kg/24 h		2	2	2	4	4	4	3
Storage time in case of faults in hours		12	12	18	20	22	22	18
A+ fridges: Distribution in Switzerland precluded for legal reasons.	•			•	•	•		

	JUNO JCU17810S5	JUNO JCU17820S5	JUNO SELECTION JCU17828S9	JUNO JCN08220F9	JUNO JCF08210F5
Capacity in litres					
Fridge compartment	196	196	192	133	93
Freezer compartment	72	72	61		16
Total	268	268	253	233	109
Features fridge					
Mechanical temperature control	•	•			•
Electronic temperature control via LC display with Touch Control operation			•		
Acoustic warning signal					
LED interior light	•	•		•	•
LED interior light with brightening effect			•		
Temperature indicator	•	•	•	•	•
Total shelves					
Total glass shelves	5	5	5	4	3
High-adjustable glass shelves	4	4	4	3	2
Transparent vegetable containers	2	2	2	1	
Transparent pull-outs					
Vegetable compartment					1
Door shelves	4	4		3	
Door shelves, thereof 1 small movable shelf					3
CustomFlex® door storage system			•		
Automatic defrost function	•	•	•	•	•
Egg tray	•	•	•	•	•
Bottle shelf / Retainer	•/-	•/-	-/•		•/-
Features freezer					
**** freezer comp.: -18°C and lower	•	•	•		•
Shelf, height-adjustable					
Freezer compartment with transparent flap	1	1			
Transparent drawer for frozen food	2	2	3		
Removable glass shelf	2	2	2		
Electronic temperature control					
Quick freeze					
Indicator lights					
LowFrost system	•	•			
NoFrost			•		
Frozen food calendar	•	•			
Ice cube tray / Ice scraper	•/•	•/•	•/-		•/-
Cold pack			•		
Defrosting method					
Fridge compartment: defrosts automatically					
Freezer compartment: manually defrosted					
Defrosting method					
Energy efficiency class ¹⁾	A+	A++	A++	A++	A+
Noise level in dB(A) re1pW	36	36	39	37	38
Energy consumption / year in kWh	291	229	228	91	172
Freezing capacity in kg/24 h	4	4	4		2.5
Storage time in case of faults in hours	22	22	20		11
A+ fridges: Distribution in Switzerland precluded for legal reasons.	•				•

JUNO ACCESSORIES

Optional added value for ovens, cookers and extractor hoods from JUNO.

Cookers & ovens

Baking sheet, enamelled

Ideal for baking cakes or cookies, etc. Easy to clean, with smooth enamel surface.



Illustration: CTGR-AP
Enamelled baking sheet for JUNO SELECTION

Grease pan, enamelled

For cakes and for baking, grilling and scalloping large quantities. Easy to clean, with smooth enamel surface.



Illustration: DPGR-AP
Enamelled grease pan for JUNO SELECTION

Set of steam containers
(perforated / unperforated)

Ideal e.g. for vegetable, fish and dumplings, and for collecting the broth in combination with the unperforated container.



Illustration: A90 BGC 23
Set of cooking containers for JUNO SELECTION

Telescoping pull-out, 2-fold / 3-fold part extension pull-outs

The optional part extension telescoping pull-outs from JUNO allow food to be placed in the cooking chamber and removed more conveniently.



Illustration: PZ1503
Telescoping pull-out, 3-fold for JUNO

Telescoping pull-out, 1 pair / 3 pairs full-extension pull-outs

Full-extension telescoping pull-outs for JUNO SELECTION cookers / ovens offer additional safety, as baking sheets and racks can be pulled out of the oven chamber completely.



Illustration: TR3LFV
Telescoping pull-out, 3 pairs for JUNO SELECTION

JUNO ACCESSORIES

All accessories at a glance

Cookers & ovens

	JUNO JH030A9	JUNO JH070A9	JUNO JH070B9	JUNO JH071B9	JUNO SELECTION JH084C0	JUNO JB030A9	JUNO JB070A9	JUNO JB070B9	JUNO JB071B9	JUNO JB096B9	JUNO SELECTION JB084C0	JUNO SELECTION JB121D0	JUNO SELECTION JB126D0	JUNO SELECTION JB126S0	JUNO SELECTION JBD167D0	JUNO SELECTION JBKD167D0
Accessories																
Baking sheet, enamelled	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Grease pan, enamelled	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Set of steam containers (un- / perforated)															•	•
Telescoping pull-out, 2-fold, part ext.	•	•	•	•	•	•	•	•	•	•	•	•	•			
Telescoping pull-out, 3-fold, part ext.	•	•	•	•	•	•	•	•	•	•	•	•	•			
Telescoping pull-out, 1 pair, full ext.					•					•	•	•	•	•	•	•
Telescoping pull-out, 3 pairs, full ext.					•					•	•	•	•	•		

Extractor hoods

	JUNO JDF602E9	JUNO JDF603E9	JUNO JDF904E6	JUNO SELECTION JDF606E6	JUNO SELECTION JDF908E6	JUNO JDW5605E9	JUNO JDW5905E9	JUNO JDWF604E9	JUNO JDWF904E9	JUNO SELECTION JDWF606E9	JUNO SELECTION JDWF906E9	JUNO SELECTION JDWK607S0	JUNO SELECTION JDWK907S0	JUNO SELECTION JDIF906E0
Accessories														
Active carbon filter	•	•	•	•	•	•	•	•	•	•	•	•	•	•

JUNO ENERGY EFFICIENCY CLASSES (SCALE)

The energy efficiency classes at a glance

Ovens / cookers

In accord. with COMMISSION DELEGATED REG. (EU) Nr. 65-66 / 2014

Energy efficiency class (scale):

A+++

 to

D

Dishwashers

In accord. with COMMISSION DELEGATED REG. (EU) Nr. 518 / 2014

Energy efficiency class (scale):

A+++

 to

D

Fridges

In accord. with COMMISSION DELEGATED REG. (EU) Nr. 1060 / 2010

Energy efficiency class (scale):

A+++

 to

D

Extractor hoods

Valid from 1 January 2020 by delegated regulation (EU) Nr. 65-66 / 2014:

Energy efficiency class (scale):

A+++

 to

D

Energy consumption in kWh/Year

Fluid dynamic efficiency class: A to G

Lighting efficiency class: A to G

Class for grease separating efficiency: A to G

Noise level in dB(A) re1pW

MANUFACTURER'S GUARANTEE



We give a 2-year manufacturer's guarantee on every single appliance in respect of material and workmanship, in accordance with our guarantee terms.

CONTACT & CUSTOMER SERVICE

Your direct link to our customer service.

Belgique / België / Belgien	
+32 (0) 2 71 62 444	Raketstraat 40, 1130 Brussel / Bruxelles
Česká Republika	
+420 (0)261 30 22 61	Budejovická 3, Praha 4, 140 21
Deutschland	
+49 (0) 1806 22 66 22*	Fürther Str. 246, 90429 Nürnberg
España	
+34 (0) 902 11 63 88	Avenida de Europa, 16. Parque Empresarial La Moraleja, 28108 - Alcobendas - Madrid
France	
+33 (0) 809 100 100	www.electrolux.fr
Hrvatska	
+385 (0) 1 63 23 338	Slavonska avenija 3, 10000 Zagreb
Italia	
+39 0434 158 00 88	Corso Lino Zanussi, 24 - 33080 Porcia, PN
Luxembourg	
+352 (0) 42 43 13 01	Rue de Bitbourg, 7, L-1273 Hamm
Nederland	
+31 (0) 172 46 83 00	Vennootsweg 1, 2404 CG - Alphen aan den Rijn
Österreich	
+43 (0) 800 212 066	Europaring F15 202, 2345 Brunn am Gebirge
Schweiz / Suisse / Svizzera	
+41 (0) 848 84 81 11	Industriestrasse 10, CH-5506 Mägenwil
Slovenija	
+386 (0) 1 24 25 731	Gerbiceva ulica 110, 1000 Ljubljana
Slovensko	
+421 (0) 32 21 41 303	Electrolux Slovakia s.r.o., Electrolux Domáce spotrebice, SK, Galvaniho 17/B, 821 04 Bratislava

**A brand of
Electrolux Hausgeräte GmbH**

Electrolux Hausgeräte GmbH

Fürther Straße 246
90429 Nürnberg
Germany

Tel +49 (0) 1806 22 66 22

€ 0.20 per connection from German landlines,

max. € 0.60 per connection from German mobile networks

www.juno.de

**Marketed exclusively by
Schüller Möbelwerk KG**

Schüller Möbelwerk KG

Rother Straße 1
91567 Herrieden
Germany

Tel +49 (0) 9825 83-0

Fax +49 (0) 9825 83-1210

info@schueller.de

www.schueller.de

Juno
besser kochen

www.juno.de